

SPECIAL ORDER RELOADING DIES

ALL SPECIAL ORDERS ARE NOT SUBJECT TO CANCELLATION OR RETURN FOR CREDIT.

Part #	Description	Die Group	SH
56007	17 Ackley Bee (JGS)	G	1
56008	17 Ackley Hornet 30°	G	12
56009	17 Bumble Bee	G	1
56011	17 CCM (Cooper)	G	●
56014	17 Javelina	G	10
56016	17 K-Hornet 35° (JGS)	G	2
56910	17 Squirrel	G	12
56019	17 Super Jet (.17-22 Saunders)	G	6
56020	17-22 Bench Rest Remington	G	3
56021	17 / 22-250	G	3
56023	17-222 Remington	G	10
56024	17-222 Remington Mag	G	10
56025	17-223 Remington	G	10
56911	20 Ack Bee	G	1
56912	20 BR Remington	G	3
56913	20 PPC	G	32
56914	20-223 Rem.	G	10
56030	218 Mashburn Bee	G	1
56031	219 Zipper	G	2
56635	219 Zipper Improved 28° (JGS) ♦ ▲	G	2
56032	219 Zipper Imp 40° ♦ ▲	G	2
56033	219 Donaldson Wasp (JGS)	G	2
56034	22 Bench Rest Remington	G	3
56035	22 Carbine ▲	G	17
56636	22 CCM (Cooper)	I	●
56036	22 Cheetah Mach 1 40° ♦	G	3
56037	22 Cheetah Mach 11 28° ▲	G	3
56039	22 Long Snapper	H	12
56058	22 Lovell R-2	G	●
56040	22 Newton	G	3
56041	22 Niedner	G	2
56754	22 PPC	G	32
56810	22 Squirrel	G	12
56043	22 Super Jet (JGS) ▲	G	6
56637	22 Winchester Center Fire	G	12
56811	22-243 Ack Imp (Clymer) ▲	G	3
56812	22-243 Ack Imp 40° (JGS) ▲	G	3
56048	22-243 MIDD	G	3
56049	22-243 Winchester	G	3
56813	22-6mm Ack Imp 40° (Clymer)	G	3
57060	22-6mm Ackley Imp 40° (JGS) NEW	G	3
56050	22-6mm Remington	G	3
56051	22-6mm Remington C.J. (turned neck)	G	3
56046	22-250 Ack Imp 28° (JGS) ▲	G	3
56047	22-250 Ack Imp 40° (JGS) ▲	G	3
56052	22-284 Winchester	G	3
56053	22 / 30-30 Improved 40° (JGS) ▲ ♦	G	2
56055	22-308 Winchester	G	3
56056	22-3000 Lovell	G	●
56057	22-15-60 Stevens	I	12
56814	220 Jaybird ▲	G	3
56060	220 Russian (5.6x39)	G	32
56061	220 Swift Improved 40° (JGS)(Clymer) ▲ ♦	G	11
56062	220 Weatherby Rocket	G	11
56063	220 Wilson Arrow	G	11
56815	222 Rem Mag Imp 40° ▲	G	10
56738	223 Ack Imp 40° (JGS)	G	10
56817	5mm Rem Mag C.F.	G	●
56638	5.45x18	H	●
56065	5.45x39	G	●
56067	224 Clark 30° (JGS)	G	3
56068	224 Donaldson Ace	G	11
56069	224 Durham Jet	G	3
56071	224 Stark	G	18
56755	224 Weatherby	G	27
56072	5.6x35R Vierling	G	12
56819	5.6x45 Czech (22 - 7.62x45)	G	32
56073	5.6x50 Magnum	G	10
56074	5.6x57R ●	G	4 / 26
56075	5.6x57 RWS ●	G	3/11/△

All Special Orders are not subject to Cancellation or Return for Credit.

56076	5.6x61 Vom Hofe Super Exp	G	2
56077	5.7mm Johnson (.22 Spitfire)	G	17
56756	225 Winchester	G	11
56080	228 Ackley Magnum	G	3
56083	230 Ackley Short	G	3
56085	234 RCBS	G	3
56086	234 Rock Chucker	G	3
56089	240 Apex Belted	G	3
56090	240 Cobra ❖	G	11
56091	240 Flanged Nitro Exp	G	18
56092	240 Gibbs	G	3
56093	240 H&H Magnum	G	4
56095	240 Page Souper Pooper	G	3
56096	243 Ackley Improved 40° (JGS) ▲ ♦	G	3
56821	243 Catbird	G	3
56097	243 Mashburn Improved 30° (JGS) ▲ ♦	G	3
56098	243 RCBS	G	3
56099	243 Rock Chucker (JGS)	G	3/11/△
56100	243 Super Rock Chucker	G	3
56101	244 Ackley Improved 40° (JGS) ▲ ♦ (6mm Ack Imp)	G	3
56102	244 H&H Magnum	G	4
56107	6mm Bench Rest Remington	G	3
56823	6mm Bretschneider	G	2
56111	6mm Donaldson Wasp	G	2
56824	6mm Remington Express	G	3
56639	6mm Mach IV	G	4
56116	6mm Musgrave	G	7
56118	6mm HLS	G	3
56119	6mm Lee Navy	G	●
56825	6mm Norma BR	G	3
56120	6mm Remington International	G	3
56121	6mm Sabre	G	4
56123	6mm T/CU ❖	G	10
56125	6x45 (6mm-223 Remington) ❖	G	10
56126	6x47 (6mm-222 Remington Mag.) ❖	G	10
56826	6x47SM Swiss Match	G	3
56127	6x54 Mannlicher-Schoenauer	G	11
56128	6x61 Sharpe & Hart ▲	G	4/26/△
56129	6x62 Freres	G	3
56827	6x70R	G	●
56130	6mm-222 Remington ❖	G	10
56131	6mm-250 Savage	G	3
56132	6mm-270 Winchester Improved 40° ♦	G	3
56133	6mm-284 Winchester	G	3
56134	6mm-06	G	3
56135	6mm-06 Improved 40° ♦	G	3
56828	6mm / 30-30	G	2
56136	6mm / 30-30 Ackley Improved 40° (JGS) ▲ ♦	G	2
56137	6mm / 30-40 Krag	G	7
56138	25 Ackley Krag Improved 40° (JGS) ▲ ♦	G	7
56139	25 Ackley Short Krag 28° ▲	G	7
56140	25 Gibbs	G	3
56141	25 IHMSA	G	3
56142	25 Krag	G	7
56144	25 Remington	G	19
56145	25 Souper (.25-308 Win.)	G	3
56640	25 T/CU ❖	G	10
56146	25-06 Improved 40° ▲ ♦	G	3
56147	25-06 Mashburn Improved 30° (JGS) ▲ ♦	G	3
56148	25-20 Single Shot	G	●
56149	25-21 Stevens	I	23
56641	25-25 Stevens	I	●
56150	25-222 Remington Magnum ❖	G	10
56698	25-264 Winchester	G	4
56151	25-270 ICL	G	3
56152	25-284 Winchester	G	3
56153	25-303 British	G	7
56829	25-300 Rem Ultra Mag	G	38/4/△
56830	25-300 WSM	G	43
56156	25-35 Ackley Improved 40° (JGS) ▲ ♦	G	2
56159	25-36 Marlin	G	2
56160	250 Ackley Magnum	G	4
56162	250 Savage Improved 28° (JGS) ▲ ♦	G	3
56163	250 Savage Improved 40° (JGS) ▲ ♦	G	3

SPECIAL ORDER RELOADING DIES

ALL SPECIAL ORDERS ARE NOT SUBJECT TO CANCELLATION OR RETURN FOR CREDIT.

Part #	Description	Die Group	SH
56164	256 Gibbs Magnum SP	G	11/3/△
56165	256 Newton	G	3
56757	256 Winchester	G	6
56751	257 STW	G	4
56171	260 AAR	G	3/11/△
56832	260 Rem Imp 40° (Clymer) ▲	G	3
56833	263 Sabre	G	3
56921	6.17mm Spitfire NEW	G	4
56835	6.5 B.R. Rem	G	3
56172	6.5mm Gibbs	G	3
56173	6.5mm IHMSA	G	3
56836	6.5 Mathews Mag	G	4
56837	6.5 STW	G	4
56759	6.5mm T/CU ❖	G	10
56176	6.5mx48R	G	21
56760	6.5x50 Japanese Arisaka	G	15
56915	6.5x52 Carcano	G	9
56177	6.5x53R Dutch (or Romanian Mannlicher)	G	7
56178	6.5x53.5 Daudeteau	G	13
56179	6.5x54 Kurz Mauser	G	3
56180	6.5x54R Steyr Mannlicher	G	7
56642	6.5x55 Ackley Imp (Jourdan) 40° (Clymer) ▲ ◆	G	2
56182	6.5x55 Scandinavian	G	2
32801	6.5x57R NEW	D	26
56184	6.5x58 Portuguese	G	3
56185	6.5x58R	G	21
56186	6.5x61 Sharpe & Hart	G	4/26/△
56643	6.5x64 Brenneke	G	3
56187	6.5x65 RWS	G	3
56188	6.5x65R RWS	G	4
56838	6.5x68 R	G	●
56190	6.5x70R	G	●
56191	6.5mm-223 Remington ❖	G	10
56192	6.5mm-257 Roberts ❖	G	3/11/△
56193	6.5mm-257 Roberts Improved 40° (JGS) ▲ ◆ ❖	G	3/11/△
56195	6.5mm-06 Improved 40° (JGS) ▲ ◆	G	3
56196	6.5mm-08 Short	G	3
56839	6.5mm-300 Rem Ultra Mag	G	38/4
56197	6.5mm-300 Weatherby Magnum	G	4
56840	6.5mm-300 WSM	G	43
56198	6.5mm-303 Epps	G	7
56199	6.5mm-308 Winchester	G	3
56200	6.5mm-378 Weatherby Magnum	G	14
56644	6.5mm-8mm Remington Magnum	G	4
56201	270 Ackley Magnum	G	4
56204	270 Gibbs	G	3
56205	270 IHMSA	G	3
56206	270 ICL	G	3
56208	270 Ren (Carbide Taper Crimp)	H	12
56210	270 Winchester Improved 40° (JGS) ▲ ◆	G	3
56841	270 Rocket ❖	G	11
56842	270 STW	G	4
56843	270 WSM (Dave Manson Print) NEW	G	43
56212	270-284 Winchester	G	3
56213	270-308 Winchester	G	3
56645	270-308 Winchester Improved 40° ▲ ◆	G	3
56214	270-338 Winchester Mag	G	4
56745	277 Jamison NEW	G	41
56646	7mm Dakota	G	41
56219	7mm Gibbs (.280 Gibbs)	G	3
56221	7mm H&H Flanged	G	18
56222	7mm IHMSA	G	3
56647	7mm International Rimmed	G	2
56223	7mm JRS (Wise Custom Guns)	G	3
56224	7mm L&L NEW	G	28
56226	7mm Nambu	H	17
56230	7mm Shooting Times Easterner	G	2
56232	7mm Short Magnum	G	4
56234	7mm Super Mashburn Mag Short	G	4
56237	7mm TNT	G	3

All Special Orders are not subject to Cancellation or Return for Credit.

56845	7mm Tombi	G	*3/11
56846	7x49 GJW NEW	G	10
56240	7x33 SAKO	G	16
56244	7x57 Improved 40° ▲ ◆	G	11
56245	7x57R Mauser	G	26
56246	7x6.5 Remington Magnum ❖	G	4
56247	7x61 Sharpe & Hart (7x61 Super)	G	4/26/△
56248	7x66 Vom Hofe	G	●
56249	7x72R	G	2/30/△
56251	7x75R (CIP)	G	4
56252	7mm-06 ❖	G	3
56253	7mm-06 Improved 40° ▲ ◆	G	3
56254	7mm-08 Improved 40° (JGS) ▲ ◆	G	3
56256	7mm-300 Weatherby Magnum	G	4
56257	7mm-300 Winchester Magnum	G	4
56847	7mm-300 WSM (Necked Down 7mm WSM)	G	43
56260	7mm-348 Winchester Improved 40° ▲ ◆	G	5
56261	275 H&H Magnum	G	4
56262	276 Newton	G	2
56263	276 Pedersen	G	●
56745	277 Jamison NEW	G	41
56848	277 GS NEW	G	34
56849	278 Ultra Mag NEW (JGS)	G	38/4
56649	28-30-120 Stevens	I	●
56264	280 Flanged Nitro	G	5
56265	280 Remington Improved 30° (JGS) ▲ ◆	G	3
56266	280 Remington Improved 40° Nosler ◆	G	3
56267	280 Ross	G	●
56733	284 Jamison NEW	G	41
56268	284 Colton Mag NEW	G	4
56269	7.35mm Carcano	G	9
56271	7.5mm Swedish Nagant	H	1
56650	7.5mm Swiss Ordinance	H	1
56272	7.62mm Russian Nagant	H	●/1
56273	7.62x25 Russian Tokarev	G	16
56274	7.62x45 Czech	G	32
56275	7.63mm Mannlicher	H	17
56276	7.65mm French MAS Auto	H	●
56277	297-250 Rook Rifle	I	12
56278	30 Ackley Magnum #1	G	4
56279	30 Ackley Magnum #2	G	4
56280	30 Alaskan Magnum	G	4
56281	30 Belted Newton	G	4
56282	30 Bench Rest Remington ❖	G	3
56740	30 Cody Exp (30-416 Cody-Rigby Case)	G	37
56284	30 Gibbs	G	3
56749	30 Guns & Ammo	G	41
56285	30 H&H Super Flanged	G	●
56761	30 Herrett	G	2
56287	30 IHMSA	G	3
56289	30R Blaser	G	4
56290	30 Merrill ❖	G	11
56291	30 Newton	G	4
56296	30-06 ICL Caribou ▲	G	3
56297	30-06 Improved 40° ▲ ◆	G	3
56850	30-221	G	10
56298	30-222 Remington ❖	G	10
56300	30-223 Remington ❖	G	10
56302	30-284 Winchester ❖	G	3
56303	30-30 Ackley Improved 40° ▲ ◆	G	2
56851	30-338 Lapua	G	37 / 14
56304	30-350 Remington Magnum	G	4
56306	30-378 Weatherby Improved 50° ◆	G	14
56308	30-378 Weatherby Long 35° ◆	G	14
56310	30-40 Krag Improved 40° (JGS) ▲ ◆	G	7
56311	30-40 Krag 1.750"	G	7
56727	30-416 Rigby Imp 40° ▲ ◆ (Ross Seyfried)	G	37
56314	30-8mm Remington Magnum	G	4
56852	300 Apex	G	4
56651	300 Dakota	G	41
56854	300 Gonzo NEW	G	37 / 14
56317	300 H&H Magnum Improved 30° ▲ ◆	G	4
56318	300 H&H Magnum Improved 40° ▲ ◆	G	4
56319	300 ICL Grizzly ▲	G	4

SPECIAL ORDER RELOADING DIES

ALL SPECIAL ORDERS ARE NOT SUBJECT TO CANCELLATION OR RETURN FOR CREDIT.

Part #	Description	Die Group	SH
56855	300 Hawk	G	3
56732	300 Jamison NEW	G	41
56728	300 Jarrett	G	4
56856	300 Lapua Mag	G	37 / 14
56857	300 Pegasus	G	37 / 14
56321	300 Phoenix (JGS) ▲	G	37
56322	300 RCBS Kodiak Mag	G	4
56323	300 Rook	I	●
56653	300 Super Mashburn	G	4
56858	300 Weaver NEW	G	38 / 4
56324	300-295 Rook	I	●
56325	303 Epps	G	7
56762	303 Savage	G	21
56859	308 Ack Imp 40° / 308 Win Imp (JGS)	G	3
56860	308 Baer (Clymer)	G	4
56861	308 CorBon NEW	G	41
56654	308 Hammond NEW	G	4
56330	308x1.5"	G	3
56331	310 Martini Cadet (.310" Greener)	I	●
56332	318 Westley-Richards	G	3
56333	32 Colt Long ■	H	10
56334	32 Colt Short ■	H	10
56656	32 Ideal	H	1
56335	32 Remington	G	19
56336	32 Smith & Wesson Short	H	23
56337	32 WSL Winchester Self Loading	I	16
56338	32-30 Remington	I	6
56339	32-35 Stevens	I	2
56340	32-40 Remington Hepburn	I	7
56341	32-44 Smith & Wesson Gallery	H	1
56343	7.92x33 Kurz Mauser	G	3
56345	8mm Gasser	H	16
56346	8mm Gibbs	G	3
56862	8mm Hawk	G	3
56347	8mm Kropatchek	G	●
56917	8mm Lebel Revolver French	H	1
56348	8mm Lebel	G	●
56350	8mm Nambu	H	25
56863	8mm-300 Rem Ultra Mag	G	38 / 4
56351	8mm Roth-Steyr	H	17
56352	8mm-06 Improved 40° ▲ ♦	G	3
56354	8mm-338 Winchester Magnum	G	4
56864	8mm-348	G	5
56358	8x50R Austrian	G	13
56359	8x50R Siamese Type 45	G	14
56360	8x51 Mauser Short	G	3
56361	8x51R / .318" ↓	G	26
56657	8x51R / .323" ↓	G	26
56362	8x52R Siamese Type 66	G	14
56363	8x54K	G	7
56364	8x56 Mannlicher-Schoenauer	G	3
56365	8x56R Hungarian ❖	G	13
56658	8x57J / .318" ↓	G	3
56366	8x57JR / .318" ↓	G	26
56368	8x57R-360 / .318" ↓	G	2
56370	8x57RS / .323" ↓	G	4
56371	8x58R Danish Krag	G	14
56372	8x58R / .318" ↓	G	2
56373	8x60J / .318" ↓	G	3
56374	8x60R / .318" ↓	G	26
56375	8x60R Kropatchek	G	5
56376	8x60RS	G	4
56377	8x60S Mauser	G	3
56379	8x64S ❖	G	11
56380	8x64 / .318" ↓ ❖	G	11
56381	8x65R / .318" ↓	G	4
56659	8x65RS / .323" ↓	G	4
56383	8x72R (7.8x72R)	G	30
56384	8x75R / .318" ↓	G	2
56385	8x75RS	G	4/26/△

All Special Orders are not subject to Cancellation or Return for Credit.

56773	8.15x46R / .318"	G	2
56386	8.15x46R / .321"	G	2
56660	8.5x63	G	3
56387	33 Guns & Ammo	G	●
56763	33 Winchester	G	14
56661	330 Dakota	G	●
56388	333 Jeffery	G	41
56389	333 Jeffery Flanged	G	●
56391	338 A-Square Mag	G	14
56866	338 Black Mesa Express NEW	G	41
56867	338 Excalibur	G	37 / 14
56734	338 Jamison NEW	G	41
56868	338 Lapua Imp 40*	G	37 / 14
56869	338 Scovill	G	3
56870	338 Weaver	G	38/4
56395	338-284 Winchester ❖	G	3
56397	338-06 Improved 40° ▲ ♦ ❖ (see notice from RCBS)	G	3
56399	338-8mm Remington Mag	G	4
56871	338-300 Rem Ultra Mag ❖	G	38/4
56662	338-300 Winchester Mag ❖	G	4
56872	338-300 WSM ❖	G	43
56633	338-378 KT	G	14
56873	338-404 Express	G	41
56404	338-416 Sniper (JGS)	G	37
56405	340 Gibbs 35° ♦	G	3
56407	348 Ackley Improved 40° (JGS) ▲ ♦	G	5
56408	35 Ackley Magnum	G	4
56874	35 Ack Mag Short 28°	G	4
56409	35 Belted Newton	G	4
56410	35 Brown-Whelen	G	3
56411	35 Gibbs 35° ♦	G	3
56412	35 Newton	G	4
56414	35 Whelen Improved 40° ▲ ♦	G	3
56415	35 Winchester	G	7
56416	35 WSL Winchester Self Loading	I	19
56417	35-284 Winchester	G	3
56418	35-8mm Remington Mag ❖	G	4
56739	35-348 Ackley Improved (JGS) ♦	G	5
56419	35-40 Maynard	I	2
56420	350 #2 Flanged	G	4
56421	350 Rigby Mag	G	4
56423	351 WSL Winchester Self Loading	I	19
56424	357 Auto Magnum	H	3
56764	357 Herrett	G	2
56426	357x44 Bain & Davis	H	18
56427	357x44 Bobcat Magnum NEW	H	18
56771	357x45 Grizzly Mag (LAR)	H	3
56875	358 Montana Mag	G	4
56766	358 Norma Magnum	G	4
56663	358 Shooting Times Alaskan	G	4
56876	358-300 Rem Ultra Mag ❖	G	38 / 4
56877	358-338 Rem Ultra Mag ❖	G	38 / 4
56430	9mm Browning Long	H	1
56665	9mm Largo / 9mm Bergman Bayard	H	16
56431	9mm Nambu	H	6
56433	9mm Steyr	H	16
56435	9mm Winchester Mag	H	16
56438	9x56 Mannlicher-Schoenauer	G	3
56439	9x57 Mauser (9mm Mauser) ❖	G	3
56440	9x57R	G	4
56441	9x72R (8.7x72R)	I	30
56442	9.3x53R Swiss	G	13
56443	9.3x57 ❖	G	3
56444	9.3x57R ❖	G	●
56445	9.3x64 Brenneke	G	●
56767	9.3x72 R	I	30
56879	9.3x82 R	I	30
56446	9.5x47 R	I	●
56447	9.5x56 ❖	G	3
56448	9.5x57 ❖	G	3
56880	9.5x66 SE Von Hofe	G	28
56882	360 N.E. 2-1/4" .358"	I	30
56883	360 N.E. 2-1/4" .368"	I	30
56884	366-404 Jeffery	G	41

SPECIAL ORDER RELOADING DIES

ALL SPECIAL ORDERS ARE NOT SUBJECT TO CANCELLATION OR RETURN FOR CREDIT.

Part #	Description	Die Group	SH
56885	375 Alaskan (McGovern) NEW	G	5
56451	375 A-Square Mag ❖	J	14
56886	375 Black Mesa Express NEW	G	41
56750	375 Dakota	G	●
56888	375 Express (Ken Waters)	G	3
56453	375 H&H Mag Improved 40° (JGS) ▲ ♦	G	4
56746	375 Jamison NEW	G	41
56456	375 JRS Magnum	G	4
56458	375 Flanged Magnum 2.94" (CIP)(JGS)	G	●
56459	375 Flanged 2.5"	I	24
56666	375 Scovill ❖	G	3
56667	375 USA Magnum	H	2
56461	375 Weatherby Magnum	G	4
56462	375 Whelen ❖	G	3
56668	375 Whelen Imp 40° ▲	G	3
56463	375-284 Winchester	G	3
56464	375-338 Winchester Mag ❖	G	4
56889	375-350 Rem Mag ❖	G	4
56465	38 Colt Long	H	6
56466	38 Colt Short	H	6
56467	38-40 Remington Hepburn	I	7
56468	38-45 Auto	H	3
56469	38-50 Remington Hepburn	I	7
56471	38-56 Shiloh Sharps	I	14
56472	38-56 Winchester	I	14
56473	38-70 Winchester	G	14
56474	38-72 Winchester	G	7
56919	38 Casull	H	3
56890	40 Super	G	36
56478	40-50 Sharps Bottle Neck 1-11/16" .403" ◎	I	5/14/△
56669	40-50 Sharps Bottle Neck 1-11/16" .408" ◎	I	5/14/△
56670	40-50 Sharps Bottle Neck 1-11/16" .410" ◎	I	5/14/△
56479	40-50 Sharps Straight .403" ◎	I	●
56671	40-50 Sharps Straight .408" ◎	I	●
56480	40-60 Marlin	I	14
56481	40-60 Winchester .403" ◎	I	14
56672	40-60 Winchester .406" ◎	I	14
56482	40-65 Ron Long - .408"	I	14
56484	40-65 Winchester .406" ✓	I	14
56485	40-70 Ballard	I	4
56486	40-70 Sharps Bottle Neck 2-1/4" .406" ✓	I	14
56675	40-70 Sharps Bottle Neck 2-1/4" .408" ✓	I	14
56676	40-70 Sharps Bottle Neck 2-1/4" .410" ✓	I	14
56678	40-70 Shiloh Sharps Bottle Neck 2.1" .408	I	14
56679	40-70 Sharps Straight .403" ✓	I	14
56488	40-70 Sharps Straight .406" ✓	I	14
56681	40-70 Sharps Straight .410" ✓	I	14
56489	40-70 Winchester .406"	I	14
56490	40-72 Winchester .406" ✓	I	47/△
56492	40-82 Winchester .406" ✓	I	14
56892	40-82 Winchester .408"	I	14
56893	40-82 Winchester .410"	I	14
56493	40-85 Ballard .403" ◎	I	14
56682	40-85 Ballard .408" ◎	I	14
56683	40-85 Ballard .410" ◎	I	14
56494	40-90 Sharps Bottle Neck 2-5/8" .403" ◎	I	14
56684	40-90 Sharps Bottle Neck 2-5/8" .406" ◎	I	14
56685	40-90 Sharps Bottle Neck 2-5/8" .408" ◎	I	14
56686	40-90 Sharps Bottle Neck 2-5/8" .410" ◎	I	14
56495	40-90 Sharps Straight 3-1/4" .430" NEW	L	●
56894	40-90 Sharps Straight .408" NEW	L	●
56687	40-90 Shiloh Sharps Straight .408"	L	24
56496	40-110 Winchester	L	●
56497	400 Purdey	I	●
56498	400-350 Nitro Express	G	4
56500	400-360-2-3/4"	G	4
56501	400-375 Belted Nitro Express	G	3
56502	401 Herter Mag	H	30
56503	401 Winchester Self Loading	I	●
56895	404 Dakota	J	41

All Special Orders are not subject to Cancellation or Return for Credit.

56768	41 Action Express (Carbide, Taper Crimp)	H	16
56507	41 JMP Auto Mag	H	3
56508	41 Colt Long	H	27
56509	41 Colt Short	H	27
56510	41 Swiss Vetterli (10.4x38R)	L	5
56897	416 Dakota	J	41
56898	416 Hofman	G	4
56516	416 Taylor	G	4
56517	416 Weatherby Mag ❖	G	14
56899	416-300 Rem Ultra Mag ❖	J	38/4
56901	10.15 Jarman ▲	L	●
56520	10.3x60R	L	●
56688	10.4mm (.41) Swiss Revolver	H	30
56521	10.4x47R Italian Vetterli	L	5
56522	10.75x68	J	2
56524	425 Express	G	4
56525	425 Wesley-Richards	J	●
56526	11mm French Revolver	H	4/18/△
56527	11mm Mauser (.43 Mauser) (11.15x60R)	I	22
56529	43 Egyptian	L	31 ●
56530	43 Spanish	I	22
56531	11x52R Neth Beaumont M71/78	L	31
56532	11x59 GRAS	L	●
56533	11.15x58R Werndle Model 77	L	●
56534	11.15x65R	L	4
56535	11.2x51R Kropatchek	L	22
56536	11.2x72 Schuler	J	●
56537	11.3x50 R Beaumont M71	L	22
56539	11.7x51R Danish Remington	L	●
56540	44 Auto Magnum	H	3
56541	44 Auto Mag (carbide taper crimp)	H	3
56542	44 Colt (Heel-type bullet)	H	18
56545	44 Russian NEW	H	7
56547	44 Smith & Wesson American	H	21/18/△
56549	44-77 Sharps Bottle Neck	L	22
56550	44-90 Sharps Bottle Neck	L	22
56551	44-95 Peabody	L	●
56748	440 Corbon	K	33
56548	445 Super Magnum	H	18
56552	45 Auto Shotgun	H	3
56554	45 Blaser NEW	J	3
56770	45 Winchester Mag (Taper Crimp) Steel	H	36
56557	45 Win Mag (Carbide Taper Crimp)	H	36
56560	45-85 Winchester	L	14
56562	45-90 Winchester NEW	I	14
56689	45-100 Sharps Straight 2.1" NEW	L	14
56563	45-100 Sharps Straight 2.4" NEW	L	14
56567	45-125 Winchester	L	47
56568	45-348 Winchester	L	5
56690	450 Ackley Mag ▲	J	4
56569	450 Alaskan ▲	L	5
56902	450 Dakota	J	37/14
56570	450 Guns & Ammo	J	41
56691	450 Magnum Express (Pistol)	H	3/36/△
56903	450 Rem Ultra Mag	J	38/4
56571	450 Watts	L	4
56572	450 Webley Revolver	H	●
56573	450 #1 Black Powder Express	L	●
56574	450 #2 Musket	L	31
56575	450 #2 Nitro Express	J	●
56904	450-348 Ack Imp 40° (JGS)(Clymer)	L	5
56576	450x400 2-3/8"	L	●
56578	450x400 3-1/4" Nitro Express	J	●
56580	450 3-1/4" Nitro Express ▲	L	●
56583	455 Colt	H	26
56584	455 Webley MKII	H	38
56585	455 Webley Automatic	H	31
56587	458x2" American	I	4
56588	12.17x44R	L	5
56589	460 Short A-Square Magnum	L	14
56590	460 Guns & Ammo	L	41
56591	460 Guns & Ammo Long 3.000" max	L	●
56592	460 Jurras NEW	L	46
56593	470 Ackley Magnum	L	4

SPECIAL ORDER RELOADING DIES

ALL SPECIAL ORDERS ARE NOT SUBJECT TO CANCELLATION OR RETURN FOR CREDIT.

Part #	Description	Die Group	SH
56692	470 Capstick	L	4
56595	475 A&M Magnum	L	14
56596	475 Ackley Magnum	L	4
56693	475 Linebaugh 1.600"	K	14
56599	475 Nitro Express	L	●
56600	475 Wildey	K	3
56601	475 #2 Jeffery	J	●
56602	475 #2 Nitro Express	J	●
57100	475 Turnbull NEW	H	call
56603	476 Nitro Express	L	●
23712	499 LWR (Carbide, Roll Crimp) NEW	H	32
56694	50 Action Express (Carbide, Taper Crimp)	X	33
56604	50 Alaskan ▲	L	5
56906	50 Bowen Special NEW	K	5
56605	50 Carbine ▲	L	31/5/△
56607	50-95 Winchester NEW	L	●
56608	50-110 Winchester	L	5
56609	50-140 Sharps Straight 3-1/4"	L	31
56610	500 A-Square Magnum	J	14
56612	500 Buhmiller NEW	L	14
56614	500 Jurras NEW	L	46
56615	500 Linebaugh 1.400"	K	5
56772	500 Linebaugh 1.400" (Carbide)	X	5
56695	500 Linebaugh 1.600"	K	5
56617	500 Nitro 3-1/4"	L	●
56907	500-416 Nitro Exp. 3-1/4"	J	46
56618	500-450 #1 Express	L	46
56619	500-450 Nitro Express 3-1/4"	L	46
56620	500-465 Nitro Express	J	46
56611	505 Barnes Supreme	J	4
56622	510 Wells Express (JGS)	L	14
56625	577 Nitro Express 2-3/4"	X	●
56626	577 Nitro Express 3"	X	●
56627	577 Snyder ▲	X	●
56908	577 Tyrannasaur T-Rex	X	●
56628	577-450 Martini-Henry	X	●
56629	577-500 Nitro Express (3.130" Case Length)	X	●
56909	577-500 #2 Express (2.810" Length)	X	●
56630	585 Nyatti	X	●
56631	600 Nitro Express	X	●
56632	600-577 Nitro 3"	X	●

All Special Orders are not subject to Cancellation or Return for Credit.

The **ICONS** in the preceding list indicate the following:

- ◆ = Shoulder angle of improved version.
 - = Sample bullet (not cartridge) required with order.
 - ↓ = Bullet diameter.
 - = Order shell holder by caliber.
 - △ = When two or more shell holder numbers are given, the usual number is listed first.
 - ◎ = Standard bore diameter (.403") - alternate bore diameters: .406", .408", .410", and .412" Check bore diameter before ordering.
 - ✓ = Standard bore diameter (.406") - alternate bore diameters: .403", .408", .410", and .412". Check bore diameter before ordering.
 - ❖ = Tapered expander-decapping Unit included in the sizer die.
 - ✕ = Standard bore diameter (.408") - alternate bore diameters: .403", .406", .410", and .412". Check bore diameter before ordering.
 - ◆ = European manufactured cases only.
- (Clymer) = Clymer print
 (JGS) = JGS Print
 ▲ = One or more variations are known to exist. This listing is for the most popular version. If you are not sure of the version you need, send 3 sample fired cases so that RCBS may check the dies before shipping.

All Special Orders are not subject to Cancellation or Return for Credit. Unless the special order dies are in stock at the time the order is placed, delivery can take up to 3-months. Dies not in stock and ordered for customers are not returnable for credit.

RCBS® VIDEO SERIES

Did you know that RCBS has a number of short, informative product videos that are free to view online using a computer and a high-speed internet connection.

www.rcbs.com/resources/videos



DESCRIPTION	DESCRIPTION
Featured Product: RCBS Reloading Dies	Reloading Tips: Univ. Hand Priming Tool
Reloading Tips: AR Dies	Featured Product: Auto. Priming Tool
Reloading Tips: Cleaning Your Dies	FAQ: Assemble & Use Auto. Priming Tool
Reloading Tips: Setting Seating Die	FAQ: Insert Primer Strips
Reloading Tips: Lock Out Die	Reloading Tips: Univ. Case Prep Center
Reloading Tips: Powder Check Die	Featured Product: TrimMate Prep Center
Reloading Tips: Using Pro 2000	Featured Product: Case Master Tool
Featured Product: Pro 2000 Auto Index	Featured Product: ChargeMaster Combo
FAQ: Install Pro 2000 Shell Plate	Featured Product: RangeMaster 750
Featured Product: Pistol Bullet Feeder	Featured Product: Powder Measures
Reloading Tips: Pistol Bullet Feeder	FAQ: Cleaning the Uniflow Measure
Featured Product: Rifle Bullet Feeder	FAQ: Replace Powder Plastic Hopper
Reloading Tips: Rifle Bullet Feeder	Reloading Tips: Hand Case Neck Turning
Featured Product: Turret Press	Featured Product: Vibratory Case Cleaner
Featured Product: Turret Deluxe Kit	FAQ: Properly Lube your Cases
Reloading Tips: Turret Press Operation	FAQ: Stuck Case Remover Kit
Featured Product: Summit Press	FAQ: Use the Pow'r Pull Bullet Puller
Featured Product: Rock Chucker Supreme	
Featured Product: Rock Chucker Kit	
Reloading Tips: Primer Staking Removal	
FAQ: Primer Pocket Swager-2	

SPECIAL ORDER LAZZARONI CALIBERS

Part #	Description	Die Group	Shell Holder
56921	6.17mm Spitfire	G	3
56922	6.53mm Scramjet	G	4
56923	6.71mm Phantom	G	4
56924	6.71mm Scorpion	G	14
56925	7.21mm Firebird	G	14
56926	7.21mm Tomahawk	G	14
56927	7.82mm Warbird	G	14
56928	7.82mm Patriot	G	14
56929	8.59mm Titan	G	14
56930	8.59 Galaxy	G	14
56931	9.09mm Eagle	G	14
56932	9.53mm Hellcat	G	14
56933	9.53mm Saturn	G	14
56934	10.57mm Maverick	G	14
56935	10.57mm Meteor	G	14
56936	12.04mm Lilmufu	G	14
56937	12.04mm Bibamufu	G	14